



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,444	09/12/2003	Gerrit de Wit	126474-2	7822
21121	7590	01/10/2006	EXAMINER	
OPPEDAHL AND LARSON LLP			WARTALOWICZ, PAUL A	
P O BOX 5068			ART UNIT	
DILLON, CO 80435-5068			PAPER NUMBER	
			1754	

DATE MAILED: 01/10/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.		Applicant(s)	
	10/661,444		DE WIT, GERRIT	
	Examiner		Art Unit	
	Paul A. Wartalowicz		1754	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 02 November 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12 September 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date <u>9/12/03</u> . | 6) <input type="checkbox"/> Other: _____ |

Response to Arguments

Applicant's arguments regarding the 35 U.S.C 103 rejections of claims 1, 2, 3, 4, 8, and 9 as obvious under Adams in view of Mori et al. have been fully considered and are not persuasive.

In response to applicant's argument that Adams container is not a container for liquids with a carbon dioxide content, a recitation of the intended use of the claimed invention must result in a structural difference between the claimed invention and the prior art in order to patentably distinguish the claimed invention from the prior art. If the prior art structure is capable of performing the intended use, then it meets the claim.

Applicant argues that Mori and Duse reference be considered without the Adams reference.

In response to these arguments against the references individually, one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

The applicant argues that the containers of the present invention are not biaxially oriented and the containers of Duse are biaxially oriented.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies

(i.e., not biaxially oriented) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

The applicant argues that the Mori reference has substantially worse creep properties than that of the applicant's invention.

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., not biaxially oriented) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

Art Unit: 1754

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

3. Claim 1-4, 8, and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adams ('812) in view of Mori et al ('804).

As to claims 1 and 10, Adams teaches a pressurized container made of reinforced polyesters (col. 1, lines 10-11; col. 3, lines 49-50; Figure 3, col. 5, lines 46-50). Adams also teaches virtually no leakage and no solubility of the gas in the polymer (col. 3, lines 34-36). Adams teaches that the containers can store pressurized gas which is defined as any mixture or material that, when enclosed in a container, has an absolute pressure exceeding 40 psi at 21.1 degree Celsius or has an absolute pressure exceeding 140 psi at 54.4 degree Celsius (col. 3, lines 5-8). Compressed gases include but are not excluded to oxygen (col. 3, line 13). Adams fails to teach a pressurized container wherein upon being filled with a liquid having a dissolved carbon dioxide content of about 0.4-0.6 wt % at an internal pressure of at least 1 bar, said pressurized container maintains a dissolved carbon dioxide content of at least 0.25 wt % after 0.5 year at a storage temperature of about 30 to 35 degree Celsius.

Mori et al., however, teaches a polyester bottle comprising polyethylene terephthalate which is well known for much reduced permeability of gases such as oxygen and carbon dioxide (col. 1, lines 17-21). The primary reference, Adams, also teaches that containers such as vessels and bottles for pressurized gases are well known in the art to be made entirely of polymeric materials (col. 1, lines 7-11).

Mori et al. further teaches that polyethylene terephthalate is a widely used material for reducing permeability of carbon dioxide and oxygen in pressurized containers (carbonated drink bottles, col. 1, lines 22-23).

Therefore, one of ordinary skill in the art would have recognized that polyethylene terephthalate is used in the primary reference to reduce permeability of carbon dioxide in pressurized containers since both the primary and secondary reference, Mori et al., teach containers with pressurized gases for reducing permeability of pressurized gases.

Thus, it would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to have provided a polyester bottle comprising polyethylene terephthalate in Adams in order to reduce permeability of oxygen gas of the pressurized container as taught by Mori et al.

As to claim 2, Adams teaches reinforcing agents selected from glass or carbon fibers (col. 5, lines 21-22). All of the limitations of claim 3 are drawn to a process and are given no patentable weight because the subject matter being evaluated is the product. As to claim 4, Adams teaches a plurality of reinforcing strips attached to and reinforcing said container with each strip encircling the container in a hoop direction at least once (filament winding of continuous fibers, col. 5, lines 30-32). As to claim 8, Adams teaches a pressurized container having a wall thickness of at least 0.2 mm (5-50 mils, col. 4, lines 64-65). As to claim 9, Adams teaches a pressurized container having a total liquid volume of at least 15 liters (5.5-31000 liters, col. 4, lines 45-48).

4. Claims 5-7 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adams ('812) in view of Mori et al ('804) in further view of Duse ('763).

Adams and Mori et al. teach a pressurized container as described above.

As to claim 5, Adams and Mori et al. fail to teach a pressurized container wherein the reinforcing agents are glass fibers having a length of at least 0.5 cm.

Duse, however, teaches a reinforced polyester bottle with glass fibers having a length of at least 0.5 cm (0.5-2.0 cm, col. 3, lines 30-34) for the purpose of resisting fracturing during stretch-blow molding.

Therefore, it would have been obvious to one of ordinary skill at the time applicant's invention was made to have provided glass fibers having a length of at least 0.5 cm in Adams and Mori et al. in order to resist fracturing during the stretch-blow molding process as taught by Duse.

As to claim 6, Adams and Mori et al. fail to teach a pressurized container wherein the polyesters are reinforced by glass fibers in an amount of at least 20 wt% based on the total weight of said reinforced polyesters.

Duse, however, teaches a reinforced polyester bottle wherein said glass fibers are present in an amount of at least 20 wt% (1-60 wt%, col. 2, lines 45-46) for the purpose improving the deflection by heat of said fibers.

The deflection by heat of said fibers is important for applications such that require high temperatures such as heat sterilization or hot-filling (col. 2, lines 25-30).

Therefore, it would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to have provided glass fibers in an amount of at

least 20 wt% based on the total weight of said reinforced polyesters in Adams and Mori et al. in order to improve performance in high temperature applications as taught by Duse.

As to claim 7, volume % is taken to be approximately equal to wt %.

Therefore, Duse teaches the glass fibers amount in the range of about 1 to 50 volume % (1-60 wt% by weight of the combined weight, col. 2, lines 44-47).

Claims 10-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Adams (U.S. 5150812) in view of Mori et al (U.S. 4421804) in further view of Duse (U.S. 4892763) and Zimmerman et al. (U.S. 3814725).

Adams teaches a pressurized container having a wall thickness of at least 0.2 mm (5-50 mils, col. 4, lines 64-65) wherein the wall portion comprises a polyester (col. 3, lines 49-51) and has a reinforcing agent (col. 5, lines 44-51; figure 3) wherein the reinforcing agent is carbon or glass fibers (col. 5, lines 20-25). Adams fails to teach that the wall portion comprises 30 to 50 wt % of the reinforcing agent.

Zimmerman et al., however, teaches polyester such as polyethylene terephthalate and polybutylene terephthalate (col. 1, lines 38-41) with glass fibers (col. 2, lines 46-50) in the amount of from 20-50 wt % (col. 2, lines 63-66, col. 4, lines 5-20) for the purpose of imparting outstanding physical properties (col. 1, lines 42-49) for molding resins (col. 1, lines 50-55).

Duse teaches that it is common for beverage containers to comprise polyethylene terephthalate (col. 1, lines 42-45).

Therefore, it would have been obvious to one of ordinary skill in the art to provide polyester with glass fibers in the amount of from 20 to 50 wt % (col. 2, lines 63-66, col. 4, lines 5-20) in Adams in order to impart outstanding physical properties (col. 1, lines 42-49) in a material known for molded resins (col. 1, lines 50-55) as taught by Zimmerman.

As to claims 10 and 19 referring to permeability property, Adams teaches a pressurized container made of reinforced polyesters (col. 1, lines 10-11; col. 3, lines 49-50; Figure 3, col. 5, lines 46-50). Adams also teaches virtually no leakage and no solubility of the gas in the polymer (col. 3, lines 34-36). Adams teaches that the containers can store pressurized gas which is defined as any mixture or material that, when enclosed in a container, has an absolute pressure exceeding 40 psi at 21.1 degree Celsius or has an absolute pressure exceeding 140 psi at 54.4 degree Celsius (col. 3, lines 5-8). Compressed gases include but are not excluded to oxygen (col. 3, line 13). Adams fails to teach a pressurized container wherein upon being filled with a liquid having a dissolved carbon dioxide content of about 0.4-0.6 wt % at an internal pressure of at least 1 bar, said pressurized container maintains a dissolved carbon dioxide content of at least 0.25 wt % after 0.5 year at a storage temperature of about 30 to 35 degree Celsius.

Mori et al., however, teaches a polyester bottle comprising polyethylene terephthalate which is well known for much reduced permeability of gases such as oxygen and carbon dioxide (col. 1, lines 17-21). The primary reference, Adams, also

Art Unit: 1754

teaches that containers such as vessels and bottles for pressurized gases are well known in the art to be made entirely of polymeric materials (col. 1, lines 7-11).

Mori et al. further teaches that polyethylene terephthalate is a widely used material for reducing permeability of carbon dioxide and oxygen in pressurized containers (carbonated drink bottles, col. 1, lines 22-23).

Zimmerman, teach polyester such as polyethylene terephthalate and polybutylene terephthalate (col. 1, lines 38-41) with glass fibers (col. 2, lines 46-50) in the amount of from 20-50 wt % (col. 2, lines 63-66, col. 4, lines 5-20) for the purpose of imparting outstanding physical properties (col. 1, lines 42-49) for molding resins (col. 1, lines 50-55) which inherently reduces permeability.

Therefore, one of ordinary skill in the art would have recognized that polyethylene terephthalate is used in the primary reference to reduce permeability of carbon dioxide in pressurized containers since both the primary and secondary reference, Mori et al., teach containers with pressurized gases for reducing permeability of pressurized gases and Zimmerman teaches a polyester with glass fibers of from 20 to 50 wt % (col. 2, lines 63-66, col. 4, lines 5-20) which commonly comprises beverage containers.

Thus, it would have been obvious to one of ordinary skill in the art at the time applicant's invention was made to have provided a polyester bottle comprising polyethylene terephthalate in Adams in order to reduce permeability of oxygen gas of the pressurized container as taught by Mori et al.

Therefore, the combined teachings of Adams, Mori et al., Duse, and Zimmerman would result in the claimed permeability.

Response to Amendment

The Declaration under 37 CFR 1.132 filed November 2, 2005 is insufficient to overcome the rejection of claims 6 and 7 based upon Adams in view of Mori and Duse as set forth in the last Office action because: the declaration is not commensurate in scope with the claimed range of 1 to 50 volume % and does not compare to closest prior art (Duse) which comprises 1 to 2 weight %.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paul A. Wartalowicz whose telephone number is (571) 272-5957. The examiner can normally be reached on 8:30-6 M-Th and 8:30-5 on Alternate Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on (571) 272-1358. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1754

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Paul Wartalowicz
December 15, 2005



COLLEEN P. COOKE
PRIMARY EXAMINER